

Message

---

**From:** Laureano, Javier [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8B852B8BB7F54EF3BD266DD9F8F77AD4-LAUREANO, J]  
**Sent:** 5/16/2018 3:45:33 PM  
**To:** Ash, Christine [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=722e1ae6cf144067907c9b4052bda56b-Ash, Christine A.]; Gratz, Jeff [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=c9d0ac17ee1841df989a98f6e416b962-Gratz, Jeff]  
**CC:** Pabst, Douglas [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=ebf25f7c5f5742979f14fd9801bf15c5-Pabst, Douglas]  
**Subject:** RE: Final Factsheets - NOI on LCR in Newark and General LCR

Thank you!

---

**From:** Ash, Christine  
**Sent:** Tuesday, May 15, 2018 12:33 PM  
**To:** Laureano, Javier <laureano.javier@epa.gov>; Gratz, Jeff <Gratz.Jeff@epa.gov>  
**Cc:** Pabst, Douglas <Pabst.Douglas@epa.gov>  
**Subject:** RE: Final Factsheets - NOI on LCR in Newark and General LCR

Hi Javier –

Per your request, please see the updated factsheets attached. We trimmed the NOI factsheet down to one page, and the general LCR factsheet to 1.5 pages. Please let me know if you have any questions.

Thank you!

**Christine Ash**

Chief, Drinking Water and Ground Water Protection Section  
EPA Region 2  
290 Broadway  
New York, NY 10007  
[ash.christine@epa.gov](mailto:ash.christine@epa.gov)  
(212) 637-4006

---

**From:** Laureano, Javier  
**Sent:** Wednesday, May 09, 2018 10:08 PM  
**To:** Gratz, Jeff <Gratz.Jeff@epa.gov>; Ash, Christine <Ash.Christine@epa.gov>  
**Cc:** Pabst, Douglas <Pabst.Douglas@epa.gov>  
**Subject:** RE: Final Factsheets - NOI on LCR in Newark and General LCR

Hi, we need to make these shorter. I don't think the RA will have time to go over all the details we are offering here. I will keep a copy and read it for my information, both documents are excellent.

Thank you,

Javier

---

**From:** Gratz, Jeff  
**Sent:** Tuesday, May 08, 2018 4:41 PM  
**To:** Ash, Christine <Ash.Christine@epa.gov>; Laureano, Javier <laureano.javier@epa.gov>

**Cc:** Pabst, Douglas <[Pabst.Douglas@epa.gov](mailto:Pabst.Douglas@epa.gov)>

**Subject:** RE: Final Factsheets - NOI on LCR in Newark and General LCR

Hi Christine – I am good with these. Thanks!

Javier, will you be sending this up to Pete?

- Jeff

---

**From:** Ash, Christine

**Sent:** Tuesday, May 08, 2018 2:51 PM

**To:** Laureano, Javier <[laureano.javier@epa.gov](mailto:laureano.javier@epa.gov)>; Gratz, Jeff <[Gratz.Jeff@epa.gov](mailto:Gratz.Jeff@epa.gov)>

**Cc:** Pabst, Douglas <[Pabst.Douglas@epa.gov](mailto:Pabst.Douglas@epa.gov)>

**Subject:** Final Factsheets - NOI on LCR in Newark and General LCR

Hi Javier, Hi Jeff –

Attached are the final versions of factsheets on the NRDC/NEW NOI to sue NJDEP on LCR implementation in Newark, and on the LCR in general. These were reviewed by DECA and ORC, and I incorporated their comments.

Please send these factsheets to the RA for his information, CCing Nicole Kraft, Doug McKenna, Phyllis Feinmark, Paul Simon and Pat Evangelista (and anyone else you think would be appropriate that I forgot).

Let me know if you have any questions or need any additional information.

Thank you!

**Christine Ash**

Chief, Drinking Water and Ground Water Protection Section

EPA Region 2

290 Broadway

New York, NY 10007

[ash.christine@epa.gov](mailto:ash.christine@epa.gov)

(212) 637-4006